SMART LAUNDRY
BETTER LIFE

CB SASO&EER PICC ISO14001 ISO9001: 2008 CE RoHS


NINGBO SHUAIZHOU ELECTRICAL APPLIANCE CO., LTD.

Add: ShangShe Village, Xinpu Town, Cixi City, China
Tel: +1 (940) 237-1281
E-mail: Sales@shuaizhouelectrical.com
Website: https://shuaizhouelectrical.com

SHUAIZHOU

WASHING MACHINE MANUAL

NINGBO SHUAIZHOU ELECTRICAL APPLIANCE CO., LTD.



Reliable

Efficient

Caring

COMPANY PROFILE



Ningbo Shuaizhou electrical appliance co.,ltd. is located in the developed transportation scenic Hangzou Bay, adjacent to two of China's largest port,Shanghai and Ningbo.The factory was founded in 1995, the production of washing machines more than 30 years, with a total area of 35,000 square meters, with a construction area of nearly 28,000 square meters,more than 200 employees,more than 50 professional and technical personnel,assembly production lines 4, 10,000g-500g over 40injection molding machines,with a value of nearly 100million, South Korea's Daewoo 500Kw generator two.

Factory total assets of 100 million yuan,annual sales of 500,000 units,the annual production capacity will reach 80 million units.Is a collection of scientific research,development,production as one of professional washing machine manufacturer.The factory management system science,strong technical force,l advanced production equipment,complete detection means, strict quality inspection.The Ningbo region has become one of the largest manufacturers of electrical products in addition to Exported to Southeast Asia,Middle East,Australia,South Africa, South America and other countries, mainly for the domestic rural market, in order to adapt to the needs of the rural market,since the factory has always attached great importance to Branch Technology innovation and the introduction of professionals LO products in rural areas of development.

SHUAIZHOU

Has independent design and production to nearly thirty-balance different models washing machines, including 20 kinds of models has become Today's rural market leading models of washing machines. Products have passed the comprehensive examination and acceptance of the national,provincial,municipal and national compulsory product certification(CCC). We also made some international Certificate for exporting like CE, CB, ROHS, SASO and EER. Our adherence to the strengthening Internal management, stable quality, timely delivery and reasonable cost, and good after-sales service,through the ISO9001:2015 quality management system certification and ISO14001 ring The environmental management system certification.







Our adherence to the "quality first, customer first, mutual benefit" business purpose, adhere to the"united, progressive, pioneering and innovative" spirit of enterprise culture, and support of the current economic situation, In order to expand domestic demand, improve people's livelihood, stimulating consumption-led production,land promote stable and rapid economic growth in the whole country.

Conscientiously implement the Party Central, the major decisions of the macro-control of the State Council in the new period of major innovation.

CB SASO&EER PICC ISO14001 ISO9001: 2008 CE RoHS

Semi Automatic **WASHING** MACHINE

LAUNDRY & DEHYDRATION
SEPARATION

Laundry and dehydration work independently and can be carried out simultaneously, and carried out in zones to avoid secondary pollution.

MULTIPLE
LAUNDRY CAPACITIES

Multiple capacities to meet the washing needs of the entire family.

PP MATERIAL
SHELL

PP material shell, high-strength and corrosion-resistant, anti mouse bottom design to protect the internal wiring of the machine.



SHUAIZHOU

A VARIETY OF OPTIONAL **ACCESSORIES**

According to the need to choose the right accessories, more flexible, more suitable for the market

OPTIONAL ACCESSORIES TABLE
The impeller / Washing barrel / Knob



Stainless Steel Washing Tub Can be Chose




Stainless Steel Spinning Tub Can be Chose



Five Choices For Knob


6 KINDS OF WASHING IMPELLER AVAILABLE
6 different attributes of the washing impeller, there is always a right for you



SHOWROOM

Professional Display Space

Our modern showroom is designed to present washing machines in a clean,organized,and customer-friendly environment.From reception and meeting areas to product display halls,every space reflects our commitment to quality, efficiency,and reliable service.



01 Reception & Meeting Area

02

Product Display Corridor



SHUAIZHOU



03 Main Exhibition Hall



04

Integrated Display Space

Twin tub
WASHING MACHINE SERIES

SHUAIZHOU



Model: XPB55-66S-A
Single layer design

Model: XPB68-82S-A
Single layer design

Model: XPB78-82S-A
Single layer design

Laundry & dehydration separation

Multiple laundry capacities

PP material shell



Model: XPB100-98S-A
Double layer design

Model: XPB130-100S-A
Double layer design

Model: XPB180-100S-A
Double layer design

Laundry & dehydration separation

Multiple laundry capacities

PP material shell

model	Wash/Spin Capacity	Power	Rated wash/spin power
XPB55-66S-A	5.5kg/3.5kg	220V~50/60Hz, 110V/60Hz	310W/120W
XPB68-82S-A	6.8kg/5.0kg	220V~50/60Hz, 110V/60Hz	360W/160W
XPB78-82S-A	7.8kg/6.0kg	220V~50/60Hz, 110V/60Hz	380W/180W
XPB100-98S-A	10.0kg/7.0kg	220V~50/60Hz, 110V/60Hz	540W/250W
XPB130-100S-A	13.0kg/7.5kg	220V~50/60Hz, 110V/60Hz	540W/250W
XPB180-100S-A	18.0kg/9.0kg	220V~50/60Hz, 110V/60Hz	560W/280W

Pump	N.W/G.W	Net size	Carton size	Loading Qty
Optional	12.0kg/14.0kg	625*385*765MM	655*415*810MM	299SETS/40HQ
Optional	14.0kg/16.0kg	706*390*815MM	730*430*860MM	256SETS/40HQ
Optional	17.0kg/19.0kg	736*415*900MM	760*460*945MM	216SETS/40HQ
Optional	20.0kg/23.0kg	815*470*930MM	830*525*970MM	145SETS/40HQ
Optional	25.0kg/28.0kg	875*505*1010MM	900*545*1065MM	120SETS/40HQ
Optional	29.0kg/33.0kg	965*535*1053MM	900*570*1110MM	90SETS/40HQ

Twin tub
WASHING MACHINE SERIES

SHUAIZHOU



Model: XPB85-88S-P
Double layer design

Model: XPB120-100S-P
Double layer design

Laundry & dehydration separation

Multiple laundry capacities

PP material shell



Model: XPB35-62S-P
Double layer design

Model: XPB50-62S-P
Double layer design

Model: XPB68-82S-P
Double layer design

Laundry & dehydration separation

Multiple laundry capacities

PP material shell

model	Wash/Spin Capacity	Power	Rated wash/spin power
XPB85-88S-P	8.5kg/6.0kg	220V~50/60Hz, 110V/60Hz	480W/180W
XPB120-100S-P	12.0kg/7.0kg	220V~50/60Hz, 110V/60Hz	540W/250W
XPB35-62S-P	3.5kg/2.0kg	220V~50/60Hz, 110V/60Hz	230W/100W
XPB50-62S-P	5.0kg/3.0kg	220V~50/60Hz, 110V/60Hz	250W/120W
XPB68-82S-P	6.8kg/5.0kg	220V~50/60Hz, 110V/60Hz	360W/160W

Pump	N.W/G.W	Net size	Carton size	Loading Qty
Optional	20.0kg/23.0kg	775*448*922MM	810*500*965MM	174SETS/40HQ
Optional	24.0kg/27.0kg	847*490*950MM	870*530*990MM	130SETS/40HQ
No	10.0kg/12.0kg	530*330*590MM	555*370*650MM	510SETS/40HQ
No	12.0kg/14.0kg	630*360*725MM	660*410*755MM	360SETS/40HQ
Optional	14.0kg/16.0kg	706*390*815MM	730*430*860MM	256SETS/40HQ

Twin tub
WASHING MACHINE SERIES

SHUAIZHOU



Model: XPB78-82S-D

Single layer design



Model: XPB100-98S-D

Double layer design

Laundry & dehydration separation

Multiple laundry capacities

PP material shell

model	Wash/Spin Capacity	Power	Rated wash/spin power
XPB78-82S-D	7.8kg/5.0kg	220V~50/60Hz, 110V/60Hz	380W/180W
XPB100-98S-D	10.0kg/6.5kg	220V~50/60Hz, 110V/60Hz	540W/250W
XPB120-100S-D	12.0kg/7.0kg	220V~50/60Hz, 110V/60Hz	540W/250W
XPB130-100S-D	13.0kg/7.5kg	220V~50/60Hz, 110V/60Hz	540W/250W
XPB150-100S-D	15.0kg/7.5kg	220V~50/60Hz, 110V/60Hz	560W/280W



Model: XPB120-100S-D

Double layer design



Model: XPB130-100S-D

Double layer design



Model: XPB150-100S-D

Double layer design

Laundry & dehydration separation

Multiple laundry capacities

PP material shell

Pump	N.W/G.W	Net size	Carton size	Loading Qty
Optional	17.0kg/19.0kg	736*415*900MM	760*460*945MM	216SETS/40HQ
Optional	21.5kg/24.5kg	815*470*930MM	830*525*970MM	145SETS/40HQ
Optional	24.0kg/27.0kg	847*490*950MM	870*530*990MM	130SETS/40HQ
Optional	25.0kg/28.0kg	875*505*1010MM	900*545*1065MM	120SETS/40HQ
Optional	26.0kg/29.0kg	890*515*1040MM	920*550*1095MM	112SETS/40HQ

Twin tub
WASHING MACHINE SERIES

SHUAIZHOU



Model: XPB78-82S-G
Single layer design

Model: XPB85-88S-G
Double layer design

Model: XPB100-98S-G
Double layer design

Laundry & dehydration separation

Multiple laundry capacities

PP material shell

model	Wash/Spin Capacity	Power	Rated wash/spin power
XPB78-82S-G	7.8kg/5.0kg	220V~50/60Hz, 110V/60Hz	380W/180W
XPB85-88S-G	8.5kg/6.5kg	220V~50/60Hz, 110V/60Hz	480W/180W
XPB100-98S-G	10.0kg/6.5kg	220V~50/60Hz, 110V/60Hz	540W/250W
XPB120-100S-G	12.0kg/6.5kg	220V~50/60Hz, 110V/60Hz	540W/250W
XPB130-100S-G	13.0kg/7.5kg	220V~50/60Hz, 110V/60Hz	540W/250W
XPB150-100S-G	15.0kg/7.5kg	220V~50/60Hz, 110V/60Hz	560W/280W



Model: XPB120-100S-G
Double layer design

Model: XPB130-100S-G
Double layer design

Model: XPB150-100S-G
Double layer design

Laundry & dehydration separation

Multiple laundry capacities

PP material shell

Pump	N.W/G.W	Net size	Carton size	Loading Qty
Optional	17.0kg/19.0kg	740*415*900MM	760*460*945MM	216SETS/40HQ
Optional	21.0kg/23.0kg	775*448*922MM	810*500*965MM	174SETS/40HQ
Optional	21.5kg/24.5kg	815*470*930MM	830*525*970MM	145SETS/40HQ
Optional	24.0kg/27.0kg	847*490*950MM	870*530*990MM	130SETS/40HQ
Optional	25.0kg/28.0kg	875*505*1010MM	900*545*1065MM	120SETS/40HQ
Optional	26.0kg/29.0kg	890*515*1040MM	920*550*1095MM	112SETS/40HQ

Twin tub
WASHING MACHINE SERIES

SHUAIZHOU



Model: XPB130-100S-B
Double layer design

Model: XPB150-100S-B
Double layer design

Model: XPB180-100S-B
Double layer design

Laundry & dehydration separation

Multiple laundry capacities

PP material shell

model	Wash/Spin Capacity	Power	Rated wash/spin power
XPB130-100S-B	13.0kg/7.5kg	220V~50/60Hz, 110V/60Hz	540W/250W
XPB150-100S-B	15.0kg/7.5kg	220V~50/60Hz, 110V/60Hz	560W/280W
XPB180-100S-B	18.0kg/9.0kg	220V~50/60Hz, 110V/60Hz	560W/280W
XPB35-62S-G	3.5kg/2.0kg	220V~50/60Hz, 110V/60Hz	230W/100W
XPB50-62S-G	5.0kg/3.0kg	220V~50/60Hz, 110V/60Hz	250W/120W



Model: XPB35-62S-G
Single layer design

Model: XPB50-62S-G
Double layer design

Laundry & dehydration separation

Multiple laundry capacities

PP material shell

Pump	N.W/G.W	Net size	Carton size	Loading Qty
Optional	25.0kg/28.0kg	875*505*1010MM	900*545*1065MM	120SETS/40HQ
Optional	26.0kg/29.0kg	890*515*1040MM	920*550*1095MM	112SETS/40HQ
Optional	30.0kg/34.0kg	965*535*1053MM	990*570*1110MM	96SETS/40HQ
No	10.0kg/12.0kg	530*330*590MM	760*460*945MM	510SETS/40HQ
No	12.0kg/14.0kg	630*360*725MM	555*370*650MM	360SETS/40HQ

Twin tub
WASHING MACHINE SERIES

SHUAIZHOU



Model: XPB78-82S-C

Single layer design

Model: XPB85-88S-C

Double layer design

Laundry & dehydration separation

Multiple laundry capacities

PP material shell

model	Wash/Spin Capacity	Power	Rated wash/spin power
XPB78-82S-C	7.8kg/6.0kg	220V~50/60Hz, 110V/60Hz	380W/180W
XPB85-88S-C	8.5kg/6.0kg	220V~50/60Hz, 110V/60Hz	480W/180W
XPB100-98S-C	10.0kg/6.5kg	220V~50/60Hz, 110V/60Hz	540W/250W
XPB120-100S-C	12.0kg/7.0kg	220V~50/60Hz, 110V/60Hz	540W/250W



Model: XPB100-98S-C

Double layer design



Model: XPB120-100S-C

Double layer design

Laundry & dehydration separation

Multiple laundry capacities

PP material shell

Pump	N.W/G.W	Net size	Carton size	Loading Qty
Optional	17.0kg/19.0kg	736*415*900MM	760*460*945MM	216SETS/40HQ
Optional	20.0kg/23.0kg	775*448*922MM	810*500*965MM	174SETS/40HQ
Optional	21.5kg/24.5kg	815*470*930MM	830*525*965MM	145SETS/40HQ
Optional	24.0kg/27.0kg	847*490*950MM	870*530*990MM	130SETS/40HQ

Single tub
WASHING MACHINE SERIES

SHUAIZHOU



Model: XPB35-218D
Single layer design

Model: XPB35-218
Single layer design

Model: XPB50-218
Single layer design

Laundry & dehydration separation

Multiple laundry capacities

PP material shell



Model: XPB68-218
Single layer design

Model: XPB80-218
Single layer design

Model: XPB130-218
Single layer design

Laundry & dehydration separation

Multiple laundry capacities

PP material shell

model	Wash Capacity	Power	Rated wash power
XPB35-218D	3.5kg	220V~50/60Hz, 110V/60Hz	100W
XPB35-218	3.5kg	220V~50/60Hz, 110V/60Hz	100W
XPB50-218	5.0kg	220V~50/60Hz, 110V/60Hz	200W
XPB68-218	6.8kg	220V~50/60Hz, 110V/60Hz	300W
XPB80-218	8.0kg	220V~50/60Hz, 110V/60Hz	380W
XPB130-218	13.0kg	220V~50/60Hz, 110V/60Hz	420W

Pump	N.W/G.W	Net size	Carton size	Loading Qty
No	5.0kg/6.5kg	350*350*500MM	370*370*530MM	960SETS/40HQ
No	5.0kg/6.5kg	350*350*500MM	370*370*530MM	960SETS/40HQ
No	6.5kg/7.5kg	400*370*650MM	430*390*680MM	630SETS/40HQ
No	9.0kg/10.5kg	445*420*795MM	460*445*830MM	405SETS/40HQ
No	13.0kg/14.0kg	485*425*845MM	515*460*880MM	345SETS/40HQ
No	17.0kg/18.0kg	545*510*920MM	580*545*955MM	226SETS/40HQ

Single tub
WASHING MACHINE SERIES



Model: XPB68-218G **Model: XPB80-218G** **Model: XPB130-218G**

Double layered plastic steel inner drum

Invisible waterproof control console

Tempered glass cover plate

model	Wash/Spin Capacity	Power	Rated wash/spin power
XPB68-218G	6.8kg	220V~50/60Hz, 110V/60Hz	300W
XPB80-218G	8.0kg	220V~50/60Hz, 110V/60Hz	380W
XPB130-218G	13.0kg	220V~50/60Hz, 110V/60Hz	420W
XQB10-168G	1.0kg	220V~50/60Hz, 110V/60Hz	240W
XQB18-168G	1. 8kg	220V~50/60Hz, 110V/60Hz	240W

SHUAIZHOU

MiNi Fully automatic
WASHING MACHINE SERIES



Model: XQB10-168G **Model: XQB18-168G**

Double layered plastic steel inner drum

Invisible waterproof control console

Tempered glass cover plate

Pump	N.W/G.W	Net size	Carton size	Loading Qty
No	9.5kg/11.0kg	445*420*795MM	465*445*840MM	405SETS/40HQ
No	14.0kg/15.0kg	485*425*845MM	515*460*880MM	345SETS/40HQ
No	18.0kg/19.0kg	545*510*920MM	580*545*955MM	226SETS/40HQ
No	7.5kg/8.5kg	310*290*390MM	400*360*500MM	870SETS/40HQ
No	13.0kg/15.0kg	415*345*400MM	495*430*460MM	600SETS/40HQ

Fully automatic
WASHING MACHINE GLASS COVER SERIES

SHUAIZHOU



Model: XQB35-168G-1

Model: XQB60-168G-2

Double layered plastic steel inner drum

Invisible waterproof control console

Tempered glass cover plate

model	Wash/Spin Capacity	Power	Rated wash/spin power
XQB35-168G	3.5kg	220V~50/60Hz, 110V/60Hz	260W
XQB60-168G	6.0kg	220V~50/60Hz, 110V/60Hz	400W
XQB70-168G	7.0kg	220V~50/60Hz, 110V/60Hz	400W
XQB80-168G	8.0kg	220V~50/60Hz, 110V/60Hz	400W
XQB100-168G	10.0kg	220V~50/60Hz, 110V/60Hz	550W



Model: XQB70-168G-1

Model: XQB80-168G-1

Model: XQB100-168G-1

Double layered plastic steel inner drum

Invisible waterproof control console

Tempered glass cover plate

Pump	N.W/G.W	Net size	Carton size	Loading Qty
Optional	15.5kg/18.0kg	430*430*825MM	460*460*900MM	288SETS/40HQ
Optional	24.0kg/27.0kg	540*540*900MM	565*565*945MM	215SETS/40HQ
Optional	26.0kg/29.0kg	565*565*915MM	595*595*965MM	160SETS/40HQ
Optional	28.0kg/31.0kg	575*575*920MM	605*605*975MM	152SETS/40HQ
Optional	30.0kg/33.0kg	630*630*990MM	655*655*1060MM	108SETS/40HQ

SHUAIZHOU

Fully automatic
WASHING MACHINE PLASTIC COVER SERIES



Model: XQB35-168

Model: XQB50-168-1

Model: XQB60-168-1

Double layered plastic steel inner drum

Invisible waterproof control console

Tempered glass cover plate

model	Wash/Spin Capacity	Power	Rated wash/spin power
XQB35-168	3.5kg	220V~50/60Hz, 110V/60Hz	260W
XQB50-168	5.0kg	220V~50/60Hz, 110V/60Hz	260W
XQB60-168	6.0kg	220V~50/60Hz, 110V/60Hz	400W
XQB70-168	7.0kg	220V~50/60Hz, 110V/60Hz	400W
XQB100-168	10.0kg	220V~50/60Hz, 110V/60Hz	550W



Model: XQB70-168-1



Model: XQB100-168-1

Double layered plastic steel inner drum

Invisible waterproof control console

Tempered glass cover plate

Pump	N.W/G.W	Net size	Carton size	Loading Qty
Optional	15.5kg/18.0kg	430*430*825MM	460*460*900MM	288SETS/40HQ
Optional	21.0kg/24.0kg	510*510*855MM	540*540*920MM	224SETS/40HQ
Optional	24.0kg/27.0kg	540*540*900MM	565*565*945MM	215SETS/40HQ
Optional	26.0kg/29.0kg	565*565*915MM	595*595*965MM	160SETS/40HQ
Optional	30.0kg/33.0kg	630*630*990MM	655*655*1060MM	108SETS/40HQ

Fully automatic
COLOR TOUCH SCREEN WASHING MACHINE SERIES

SHUAIZHOU



Model: XQB100-168G-6

Model: XQB160-1678G

Double layered plastic steel inner drum

Invisible waterproof control console

Tempered glass cover plate

model	Wash/Spin Capacity	Power	Rated wash/spin power
XQB100-168G-6	10.0kg	220V~50/60Hz, 110V/60Hz	550W
XQB160-1678G	16.0kg	220V~50/60Hz, 110V/60Hz	580W
XQB180-1698G	18.0kg	220V~50/60Hz, 110V/60Hz	580W
XQB250-200K	25.0kg	220V~50/60Hz, 110V/60Hz	580W
XQB250-200T	25.0kg	220V~50/60Hz, 110V/60Hz	580W



Model: XQB180-1698G

Model: XQB250-200K



Model: XQB250-200T

Double layered plastic steel inner drum

Invisible waterproof control console

Tempered glass cover plate

Pump	N.W/G.W	Net size	Carton size	Loading Qty
Optional	30.0kg/33.0kg	630*630*990MM	655*655*1060MM	108SETS/40HQ
Optional	51.5kg/57.5kg	685*700*1065MM	740*740*1145MM	96SETS/40HQ
Optional	52.5kg/62.5kg	685*700*1105MM	740*760*1185MM	96SETS/40HQ
Optional	55.5kg/61.5kg	730*730*1166MM	786*770*1240MM	90SETS/40HQ
Optional	55.5kg/61.5kg	730*730*1166MM	786*770*1240MM	90SETS/40HQ

Fully automatic
WASHING MACHINE GLASS COVER SERIES

SHUAIZHOU



Model: XQB50-168G-1 **Model: XQB60-168G-1** **Model: XQB70-168G-1**

Double layered plastic steel inner drum

Invisible waterproof control console

Tempered glass cover plate

model	Wash/Spin Capacity	Power	Rated wash/spin power
XQB50-168G-1	5.0kg	220V~50/60Hz, 110V/60Hz	260W
XQB60-168G-1	6.0kg	220V~50/60Hz, 110V/60Hz	400W
XQB70-168G-1	7.0kg	220V~50/60Hz, 110V/60Hz	400W
XQB80-168G-1	8.0kg	220V~50/60Hz, 110V/60Hz	400W
XQB80-168G-2	8.0kg	220V~50/60Hz, 110V/60Hz	400W
XQB80-188G-3	8.0kg	220V~50/60Hz, 110V/60Hz	400W



Model: XQB80-168G-1 **Model: XQB80-168G-2** **Model: XQB80-188G-3**

Double layered plastic steel inner drum

Invisible waterproof control console

Tempered glass cover plate

Pump	N.W/G.W	Net size	Carton size	Loading Qty
Optional	21.0kg/24.0kg	510*510*855MM	540*540*920MM	224SETS/40HQ
Optional	24.0kg/27.0kg	540*540*900MM	565*565*945MM	215SETS/40HQ
Optional	26.0kg/29.0kg	565*565*925MM	595*595*975MM	160SETS/40HQ
Optional	28.0kg/31.0kg	575*575*920MM	605*605*975MM	152SETS/40HQ
Optional	28.0kg/31.0kg	575*575*945MM	605*605*990MM	152SETS/40HQ
Optional	28.0kg/31.0kg	575*575*945MM	605*605*990MM	152SETS/40HQ